




The Enerlogic® program provides practical, tangible pathways to sustainable operations through equipment that conserves water and energy. We have more than 350 models of equipment certified by stringent third-party standards for energy efficiency and designated by the EnerLogic seal.

350 models!

Commercial Ice Machines

ARI - Air-conditioning & Refrigeration Institute certified numbers

Brand/Manufacturer	Current Model Number	Ice Machine Electrical V / Hz / Ph	Remote Condensing Unit Model Number	Ice Harvest Rate lb / 24h	Potable H2O Use gal / 100 lb ice	Condenser H2O Use Rate gal / 100 lb ice	Rated Energy kWh / 100 lb ice	CEE Tier		
									CEE Compliant	ENERGY STAR
Manitowoc	QM-45A	115/60/1		65	38.6		14.9	T1	YES	NO
Manitowoc	SM-50A	115/60/1		44	48.0		15.0	T1	YES	NO
Manitowoc	QD-0132A	115/60/1		90	39.0		12.5	T1	YES	NO
Manitowoc	QY-0134A	115/60/1		95	39.0		12.3	T1	YES	NO
Manitowoc	QD-0133W	115/60/1		105	38.0	185	9.0	T1	YES	N/A
Manitowoc	QY-0135W	115/60/1		110	38.0	185	8.8	T1	YES	N/A
Manitowoc	QD-0212A	115/60/1		155	33.5		9.9	T2	YES	YES
Manitowoc	QY-0214A	115/60/1		155	33.5		9.9	T2	YES	YES
Manitowoc	QD-0213W	115/60/1		190	33.5	142	6.8	T2	YES	N/A
Manitowoc	QY-0215W	115/60/1		190	33.5	142	6.8	T2	YES	N/A
Manitowoc	QD-0272A	115/60/1		215	32.4		9.0	T2	YES	YES
Manitowoc	QY-0274A	115/60/1		215	32.4		9.0	T2	YES	YES
Manitowoc	QD-0273W	115/60/1		245	32.4	167	7.3	T1	YES	N/A
Manitowoc	QY-0275W	115/60/1		245	32.4	167	7.3	T1	YES	N/A
Manitowoc	SD-0302A	115/60/1		270	20.0		7.7	T1	YES	NO
Manitowoc	SY-0304A	115/60/1		270	20.0		7.7	T1	YES	NO
Manitowoc	SD-0303W	115/60/1		290	23.0	170	6.0	T1	YES	N/A
Manitowoc	SY-0305W	115/60/1		290	23.0	170	6.0	T1	YES	N/A
Manitowoc	SD-0322A	115/60/1		250	18.0		6.9	T2	YES	YES
Manitowoc	SY-0324A	115/60/1		250	18.0		6.9	T2	YES	YES
Manitowoc	SD-0323W	115/60/1		290	18.0	160	5.4	T2	YES	N/A
Manitowoc	SY-0325W	115/60/1		290	18.0	160	5.4	T2	YES	N/A
Manitowoc	SD-0422A	115/60/1		320	18.0		7.1	T1	YES	NO
Manitowoc	SY-0424A	115/60/1		355	18.0		6.5	T2	YES	YES
Manitowoc	SD-0423W	115/60/1		370	18.0	145	5.4	T1	YES	N/A
Manitowoc	SY-0425W	115/60/1		370	18.0	145	5.1	T2	YES	N/A
Manitowoc	SD-0452A	115/60/1		345	18.0		6.6	T1	YES	NO
Manitowoc	SY-0454A	115/60/1		365	18.0		6.3	T2	YES	YES
Manitowoc	SD-0453W	115/60/1		385	18.0	138	5.1	T1	YES	N/A
Manitowoc	SY-0455W	115/60/1		400	18.0	135	5.1	T1	YES	N/A
Manitowoc	SD-0502A	115/60/1		420	18.0		5.5	T3	YES	YES
Manitowoc	SY-0504A	115/60/1		440	18.0		5.4	T3	YES	YES
Manitowoc	SD-0503W	115/60/1		470	18.0	140	4.4	T3	YES	N/A
Manitowoc	SY-0505W	115/60/1		485	18.0	150	4.3	T3	YES	N/A
Manitowoc	SD-0592N	115/60/1	JC-0495	425	18.0		6.1	T3	YES	YES
Manitowoc	SY-0594N	115/60/1	JC-0495	450	18.0		5.8	T3	YES	YES
Manitowoc	SD-0602A	230-230/60/1		540	20.0		5.6	T2	YES	YES
Manitowoc	SY-0604A	230-230/60/1		540	20.0		5.6	T2	YES	YES
Manitowoc	SD-0603W	230-230/60/1		610	20.0	170	4.5	T2	YES	N/A
Manitowoc	SY-0605W	230-230/60/1		610	20.0	170	4.5	T2	YES	N/A
Manitowoc	SD-0692N	230-230/60/1	JC-0895	570	20.0		5.9	T2	YES	YES
Manitowoc	SY-0694N	230-230/60/1	JC-0895	570	20.0		5.9	T2	YES	YES
Manitowoc	SD-0672C	115/60/1	CVD-0675	580	20.0		6.1	T1	YES	NO
Manitowoc	SD-0672C	115/60/1	CVD-06753	580	20.0		6.1	T1	YES	NO



Commercial Ice Machines

ARI - Air-conditioning & Refrigeration Institute certified numbers

Brand/Manufacturer	Current Model Number	Ice Machine Electrical V / Hz / Ph	Remote Condensing Unit Model Number	Ice Harvest Rate lb / 24h	Potable H2O Use gal / 100 lb ice	Condenser H2O Use Rate gal / 100 lb ice	Rated Energy kWh / 100 lb ice	CEE Tier	CEE Compliant	ENERGY STAR
Manitowoc	SY-0674C	115/60/1	CVD-0675	580	20.0		6.1	T1	YES	NO
Manitowoc	SY-0674C	115/60/1	CVD-06753	580	20.0		6.1	T1	YES	NO
Manitowoc	SD-0852A	230-230/60/1		615	18		6	T1	YES	NO
Manitowoc	SD-0852A3	208-230/60/3		615	18		5.8	T1	YES	NO
Manitowoc	SY-0854A	230-230/60/1		725	18		5.3	T2	YES	YES
Manitowoc	SY-0854A3	208-230/60/3		725	18		5.2	T3	YES	YES
Manitowoc	SD-0853W	230-230/60/1		740	18	145	4.5	T1	YES	N/A
Manitowoc	SD-0853W3	208-230/60/3		740	18	145	4.5	T1	YES	N/A
Manitowoc	SY-0855W	230-230/60/1		810	18	140	4.2	T2	YES	N/A
Manitowoc	SY-0855W3	208-230/60/3		810	18	140	4.2	T2	YES	N/A
Manitowoc	SD-0892N	230-230/60/1	JC-0895	645	18		5.9	T1	YES	NO
Manitowoc	SD-0892N3	208-230/60/3	JC-0895	645	18		5.7	T2	YES	YES
Manitowoc	SY-0894N	208-230/60/1	JC-0895	750	18		5.3	T2	YES	YES
Manitowoc	SY-0894N3	208-230/60/3	JC-0895	750	18		5.2	T2	YES	YES
Manitowoc	SD-0872C	115/60/1	CVD-0885	600	18		6.3	T1	YES	NO
Manitowoc	SD-0872C	115/60/1	CVD-08853	600	18		6.2	T1	YES	NO
Manitowoc	SY-0874C	115/60/1	CVD-0885	705	18		5.5	T2	YES	YES
Manitowoc	SY-0874C	115/60/1	CVD-08853	705	18		5.5	T2	YES	YES
Manitowoc	SD-1002A	208-230/60/1		840	18.0		5.5	T1	YES	NO
Manitowoc	SD-1002A3	208-230/60/3		840	18.0		5.5	T1	YES	NO
Manitowoc	SY-1004A	208-230/60/1		840	18.0		5.5	T1	YES	NO
Manitowoc	SY-1004A3	208-230/60/3		840	18.0		5.5	T1	YES	NO
Manitowoc	SD-1003W	208-230/60/1		955	18.0	160	4.3	T1	YES	N/A
Manitowoc	SD-1003W3	208-230/60/3		955	18.0	160	4.3	T1	YES	N/A
Manitowoc	SY-1005W	208-230/60/1		960	18.0	160	4.3	T1	YES	N/A
Manitowoc	SY-1005W3	208-230/60/3		960	18.0	160	4.3	T1	YES	N/A
Manitowoc	SD-1092N	208-230/60/1	JC-0895	870	18.0		5.2	T1	YES	NO
Manitowoc	SD-1092N3	208-230/60/3	JC-0895	870	18.0		5.2	T1	YES	NO
Manitowoc	SY-1094N	208-230/60/1	JC-0895	920	18.0		5.2	T1	YES	NO
Manitowoc	SY-1094N3	208-230/60/3	JC-0895	920	18.0		5.2	T1	YES	NO
Manitowoc	SD-1072C	115/60/1	CVD-1085	800	19.0		5.1	T2	YES	YES
Manitowoc	SD-1072C	115/60/1	CVD-10853	800	19.0		5.1	T2	YES	YES
Manitowoc	SY-1074C	115/60/1	CVD-1085	850	18.0		5.0	T2	YES	YES
Manitowoc	SY-1074C	115/60/1	CVD-10853	850	18.0		5.0	T2	YES	YES
Manitowoc	SD-1202A	208-230/60/1		890	19.0		5.6	T1	YES	NO
Manitowoc	SD-1202A3	208-230/60/3		890	19.0		5.4	T1	YES	NO
Manitowoc	SY-1204A	208-230/60/1		945	20.0		5.5	T1	YES	NO
Manitowoc	SY-1204A3	208-230/60/3		945	20.0		5.3	T1	YES	NO
Manitowoc	SD-1203W	208-230/60/1		1030	20.0	150	4.3	T1	YES	N/A
Manitowoc	SD-1203W3	208-230/60/3		1030	20.0	150	4.3	T1	YES	N/A
Manitowoc	SY-1205W	208-230/60/1		1065	20.0	150	4.3	T1	YES	N/A
Manitowoc	SY-1205W3	208-230/60/3		1065	20.0	150	4.3	T1	YES	N/A
Manitowoc	SD-1272C	115/60/1	CVD-1285	975	19.0		5.3	T1	YES	NO
Manitowoc	SD-1272C	115/60/1	CVD-12853	975	19.0		5.2	T1	YES	NO
Manitowoc	SY-1274C	115/60/1	CVD-1285	1000	19.0		5.3	T1	YES	NO
Manitowoc	SY-1274C	115/60/1	CVD-12853	1000	19.0		5.2	T1	YES	NO
Manitowoc	SD-1402A	208-230/60/1		1160	18.0		5.3	T1	YES	NO
Manitowoc	SD-1402A3	208-230/60/3		1160	18.0		5.3	T1	YES	NO
Manitowoc	SY-1404A	208-230/60/1		1160	18.0		5.3	T1	YES	NO
Manitowoc	SY-1404A3	208-230/60/3		1160	18.0		5.3	T1	YES	NO
Manitowoc	SD-1403W	208-230/60/1		1210	18.0	140	4.2	T1	YES	N/A
Manitowoc	SD-1403W3	208-230/60/3		1210	18.0	140	4.1	T1	YES	N/A
Manitowoc	SY-1405W	208-230/60/1		1275	18.0	140	4.1	T1	YES	N/A
Manitowoc	SY-1405W3	208-230/60/3		1275	18.0	140	4.1	T1	YES	N/A
Manitowoc	SD-1492N	208-230/60/1	JC-1395	1210	18.0		4.8	T1	YES	NO
Manitowoc	SD-1492N3	208-230/60/3	JC-1395	1210	18.0		4.8	T1	YES	NO
Manitowoc	SY-1494N	208-230/60/1	JC-1395	1210	18.0		4.8	T1	YES	NO



Commercial Ice Machines

ARI - Air-conditioning & Refrigeration Institute certified numbers

Brand/Manufacturer	Current Model Number	Ice Machine Electrical V / Hz / Ph	Remote Condensing Unit Model Number	Ice Harvest Rate lb / 24h	Potable H2O Use gal / 100 lb ice	Condenser H2O Use Rate gal / 100 lb ice	Rated Energy kWh / 100 lb ice	CEE Tier	 	
									CEE Compliant	ENERGY STAR
Manitowoc	SY-1494N3	208-230/60/3	JC-1395	1210	18.0		4.8	T1	YES	NO
Manitowoc	SD-1602A	208-230/60/1		1370	18.0		5.2	T1	YES	NO
Manitowoc	SD-1602A3	208-230/60/3		1370	18.0		5.2	T1	YES	NO
Manitowoc	SY-1604A	208-230/60/1		1370	18.0		5.2	T1	YES	NO
Manitowoc	SY-1604A3	208-230/60/3		1370	18.0		5.2	T1	YES	NO
Manitowoc	SD-1692N	208-230/60/1	JC1395	1420	18.0		4.8	T1	YES	NO
Manitowoc	SD-1692N3	208-230/60/3	JC1395	1420	18.0		4.8	T1	YES	NO
Manitowoc	SY-1694N	208-230/60/1	JC1395	1420	18.0		4.8	T1	YES	NO
Manitowoc	SY-1694N3	208-230/60/3	JC1395	1420	18.0		4.8	T1	YES	NO
Manitowoc	SD-1802A	208-230/60/1		1540	18.0		5.0	T1	YES	NO
Manitowoc	SD-1802A3	208-230/60/3		1540	18.0		5.0	T1	YES	NO
Manitowoc	SY-1804A	208-230/60/1		1540	18.0		5.0	T1	YES	NO
Manitowoc	SY-1804A3	208-230/60/3		1540	18.0		5.0	T1	YES	NO
Manitowoc	SD-1803W	208-230/60/1		1710	18.0	155	4.0	T1	YES	N/A
Manitowoc	SD-1803W3	208-230/60/3		1710	18.0	155	4.0	T1	YES	N/A
Manitowoc	SY-1805W	208-230/60/1		1710	18.0	155	4.0	T1	YES	N/A
Manitowoc	SY-1805W3	208-230/60/3		1710	18.0	155	4.0	T1	YES	N/A
Manitowoc	SD-1892N	208-230/60/1	JC-1395	1610	18.0		4.7	T1	YES	NO
Manitowoc	SD-1892N3	208-230/60/3	JC-1395	1610	18.0		4.7	T1	YES	NO
Manitowoc	SY-1894N	208-230/60/1	JC-1395	1610	18.0		4.7	T1	YES	NO
Manitowoc	SY-1894N3	208-230/60/3	JC-1395	1610	18.0		4.7	T1	YES	NO
Manitowoc	QY-1805S	208-230/60/1		1670	18.0	156	4.0	T1	YES	N/A
Manitowoc	QY-1805S3	208-230/60/3		1670	18.0	156	4.0	T1	YES	N/A
Manitowoc	QY-1894S	208-230/60/1	JC-1895	1580	18.0		5.0	T1	YES	NO
Manitowoc	QY-1894S3	208-230/60/3	JC-1895	1580	18.0		5.0	T1	YES	NO
Manitowoc	SD-1472C	115/60/1	CVD1485	1220	18.0		4.5	T3	YES	YES
Manitowoc	SD-1472C	115/60/1	CVD14853	1220	18.0		4.3	T3	YES	YES
Manitowoc	SY-1474C	115/60/1	CVD1485	1235	18.0		4.5	T3	YES	YES
Manitowoc	SY-1474C	115/60/1	CVD14853	1235	18.0		4.3	T3	YES	YES
Manitowoc	SD-1472C	115/60/1	CVD-1486	1235	20.0	136	3.9	T1	YES	N/A
Manitowoc	SD-1472C	115/60/1	CVD-14863	1235	20.0	136	3.9	T1	YES	N/A
Manitowoc	SY-1474C	115/60/1	CVD-1486	1235	20.0	136	3.9	T1	YES	N/A
Manitowoc	SY-1474C	115/60/1	CVD-14863	1235	20.0	136	3.9	T1	YES	N/A
Manitowoc	SD-1872C	115/60/1	CVD-1885	1500	18.0		4.5	T3	YES	YES
Manitowoc	SD-1872C	115/60/1	CVD-18853	1500	18.0		4.5	T3	YES	YES
Manitowoc	SY-1874C	115/60/1	CVD-1885	1550	18.0		4.5	T3	YES	YES
Manitowoc	SY-1874C	115/60/1	CVD-18853	1550	18.0		4.4	T3	YES	YES
Manitowoc	SY-2174C	115/60/1	CVD-2085	1750	18.0		5.3	T1	YES	NO
Manitowoc	SY-2174C	115/60/1	CVD-20853	1750	18.0		5.3	T1	YES	NO
Manitowoc	SD-3072C	115/60/1	CVD-30853	2350	19.7		4.6	T2	YES	YES
Manitowoc	SY-3074C	115/60/1	CVD-30853	2420	19.7		4.5	T3	YES	YES
Manitowoc	SD-3303W3	208-230/60/3		2820	19.7	166	3.6	T2	YES	N/A
Manitowoc	SD-3303W3HP	208-230/60/3		2820	19.7	166	3.6	T2	YES	N/A
Manitowoc	SY-3305W3	208-230/60/3		2930	19.7	132	3.6	T2	YES	N/A
Manitowoc	SY-3305W3HP	208-230/60/3		2930	19.7	132	3.6	T2	YES	N/A
Manitowoc	IB-0622DC	115/60/1	CVD-0675	570	26.4		6.5	T1	YES	NO
Manitowoc	IB-0622DC	115/60/1	CVD-06753	570	26.4		6.5	T1	YES	NO
Manitowoc	IB-0624YC	115/60/1	CVD-0675	570	26.4		6.5	T1	YES	NO
Manitowoc	IB-0624YC	115/60/1	CVD-06753	570	26.4		6.5	T1	YES	NO
Manitowoc	IB-0822DC	115/60/1	CVD-0885	630	19.0		5.9	T1	YES	NO
Manitowoc	IB-0822DC	115/60/1	CVD-08853	630	19.0		5.9	T1	YES	NO
Manitowoc	IB-0824YC	115/60/1	CVD-0885	690	18.0		5.6	T2	YES	YES
Manitowoc	IB-0824YC	115/60/1	CVD-08853	690	18.0		5.6	T2	YES	YES
Manitowoc	IB-1022DC	115/60/1	CVD-0885	890	19.0		5.4	T1	YES	NO
Manitowoc	IB-1022DC	115/60/1	CVD-08853	890	19.0		5.4	T1	YES	NO
Manitowoc	IB-1024YC	115/60/1	CVD-0885	890	19.0		5.4	T1	YES	NO



Commercial Ice Machines

ARI - Air-conditioning & Refrigeration Institute certified numbers



Brand/Manufacturer	Current Model Number	Ice Machine Electrical V / Hz / Ph	Remote Condensing Unit Model Number	Ice Harvest Rate lb / 24h	Potable H2O Use gal / 100 lb ice	Condenser H2O Use Rate gal / 100 lb ice	Rated Energy kWh / 100 lb ice	CEE Tier	 CEE Compliant	 ENERGY STAR
Manitowoc	IB-1024YC	115/60/1	CVD-08853	890	19.0		5.4	T1	YES	NO
Manitowoc	QF-406A †	115/60/1		300	12.0		5.3	N/A	N/A	N/A

† Qualify for energy rebates in California, no certification required for flake & nugget style evaporators



Federal Energy Independence & Security Act of 2007: WALK-IN COOLERS & FREEZERS

Brand Name/ Manufacturer	Model Name	Model	Detail	Automatic door closers	Internal Volume (cu- ft)				 Federal Std Compliant	 ENERGY STAR
Kolpak	Refrigerators	4" panels	R-25	YES	Any				YES	N/A
Kolpak	Freezers	4" panels	R-32	YES	Any				YES	N/A
Harford	Refrigerators	4" panels	R-25	YES	Any				YES	N/A
Harford	Freezers	4" panels	R-32	YES	Any				YES	N/A
Kolpak Refrigeration	Refrigeration systems	ALL	PSC fan motor	N/A	Any				YES	N/A
Harford Refrigeration	Refrigeration systems	ALL	PSC fan motor	N/A	Any				YES	N/A
RDI Refrigeration	Refrigeration systems	ALL	PSC fan motor	N/A	Any				YES	N/A

CEE Compliant Glass Door Commercial Refrigerators Product List

Brand Name/ Manufacturer	Model Name	Model	Type	No. of Doors	Internal Volume (cu- ft)	Refrigerant Type	Daily Energy Consumption (kWh/day)	CEE Tier	 CEE Compliant	 ENERGY STAR
Koolaire	Glass Door Visi-Kooler	MK-26GD	Refrigerator	1	19.64	134A	3.03	T1	YES	N/A
Koolaire	Glass Door Visi-Kooler	MK-35GD	Refrigerator	2	26.72	134A	5.44	T1	YES	N/A
Koolaire	Glass Door Visi-Kooler	MK-49GD	Refrigerator	2	39.4	134A	7.11	T1	YES	N/A
Koolaire	Glass Door Visi-Kooler	MK-72GD	Refrigerator	3	65.45	134A	8.11	T1	YES	N/A

Energy Star Listed - CEE Compliant Commercial Solid Door Refrigerators and Freezers Product List

Brand Name / Manufacturer	Model Name	Model Number	Product Type	# of Doors	Internal Volume	Refrigerant Type	Daily Energy Consumption (kW- hrs/day)	CEE Tier	 CEE Compliant	 ENERGY STAR
Freezers										
McCall Refrigeration	Reach-in Cabinet	1-1020F	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1020FA	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1020FC	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1020FL	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045FA, 1-1045FL, 1-1045FC, 1-1045FALC	Freezer	2	48.5	R-404A	18.42	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045F	Freezer	2	48.5	R-404A	18.42	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2020F	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2020FA	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2020FC	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2020FL	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045F, 2-2045FA, 2-2045FL, 2-2045FC, 2-2045FALC	Freezer	2	48.5	R-404A	18.42	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4020F	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4020FA	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4020FC	Freezer	1	22.4	R-404A	10.22	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4020FL	Freezer	1	22.4	R-404A	10.22	T1	YES	YES

Energy Star Listed - CEE Compliant Commercial Solid Door Refrigerators and Freezers Product List

Brand Name / Manufacturer	Model Name	Model Number	Product Type	# of Doors	Internal Volume	Refrigerant Type	Daily Energy Consumption (kWhr/day)	CEE Tier	CEE Compliant	ENERGY STAR
Freezers										
McCall Refrigeration	Reach-in Cabinet	4-4045F, 4-4045FA, 4-4045FL, 4-4045FC, 4-4045FALC	Freezer	2	48.5	R-404A	18.42	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1024UF	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1024UFC	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1024UFL	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045F01	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045F01A	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045F01C	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045F01L	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045FTA, 1-1045FTL, 1-1045FTC, 1-1045FTALC	Freezer	2	48.5	R-404A	19.52	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045UF	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045UFC	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045UFL	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1070F	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1070FA	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1070FL	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2024UF	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2024UFC	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2024UFL	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045F01	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045F01A	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045F01C	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045F01L	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045FT, 2-2045FTA, 2-2045FTL, 2-2045FTC	Freezer	2	48.5	R-404A	19.52	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045FTALC, 4-4045FT, 4-4045FTA	Freezer	2	48.5	R-404A	19.52	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045UF	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045UFC	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045UFL	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2070F	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2070FA	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2070FL	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4024UF	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4024UFC	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4024UFL	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045F01	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045F01A	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045F01C	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045F01L	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045FTL, 4-4045FTC, 4-4045FTALC	Freezer	2	48.5	R-404A	19.52	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045UF	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045UFC	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045UFL	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4070F	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4070FA	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4070FL	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7024UF	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7024UFC	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7024UFL	Freezer	1	28.5	R-404A	10.92	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045FT, 7-7045FTA, 7-7045FTL, 7-7045FTC	Freezer	2	48.5	R-404A	19.52	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045FTALC	Freezer	2	48.5	R-404A	19.52	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045UF	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045UFC	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045UFL	Freezer	2	48.4	R-404A	16.82	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7070F	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7070FA	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7070FL	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
Koolaire	Reach-in Cabinet	KF-201	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
Koolaire	Reach-in Cabinet	KF-201A	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
Koolaire	Reach-in Cabinet	KF-201C	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
Koolaire	Reach-in Cabinet	KF-201L	Freezer	4	48.5	R-404A	20.31	T1	YES	YES
Koolaire	Reach-in Cabinet	KF-3	Freezer	3	72.2	R-404A	29.02	T1	YES	YES

Energy Star Listed - CEE Compliant Commercial Solid Door Refrigerators and Freezers Product List

Brand Name / Manufacturer	Model Name	Model Number	Product Type	# of Doors	Internal Volume	Refrigerant Type	Daily Energy Consumption (kWhrs/day)	CEE Tier	CEE Compliant	ENERGY STAR
Freezers										
Koolaire	Reach-in Cabinet	KF-3A	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
Koolaire	Reach-in Cabinet	KF-3AL	Freezer	3	72.2	R-404A	29.02	T1	YES	YES
Koolaire	Reach-in Cabinet	KF-3L	Freezer	3	72.2	R-404A	29.02	T1	YES	YES

Energy Star Listed - CEE Compliant Commercial Solid Door Refrigerators and Freezers Product List

Brand Name / Manufacturer	Model Name	Model Number	Product Type	# of Doors	Internal Volume	Refrigerant Type	Daily Energy Consumption (kWhrs/day)	CEE Tier	CEE Compliant	ENERGY STAR
Refrigerators										
McCall Refrigeration	Reach-in Cabinet	1-1045	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045A	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045ALC	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045C	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-1045L	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045A	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045ALC	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045C	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045L	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045A	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045C	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045L	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-2045	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-4045ALC	Refrigerator	2	48.5	R-134A	6.67	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-102001, 1-102001A, 1-102001L	Refrigerator	2	22.4	R-134A	3.88	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	1-102001C, 1-102001ALC, 2-202001	Refrigerator	2	22.4	R-134A	3.88	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-202001A, 2-202001L, 2-202001C	Refrigerator	2	22.4	R-134A	3.88	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	2-202001ALC, 4-402001, 4-402001A	Refrigerator	2	22.4	R-134A	3.88	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-402001L, 4-402001C, 4-402001ALC	Refrigerator	2	22.4	R-134A	3.88	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-404501	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-404501A	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-404501C	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	4-404501L	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045T01	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045T01A	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045T01C	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
McCall Refrigeration	Reach-in Cabinet	7-7045T01L	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
Koolaire	Reach-in Cabinet	KR-201	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
Koolaire	Reach-in Cabinet	KR-201A	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
Koolaire	Reach-in Cabinet	KR-201C	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES
Koolaire	Reach-in Cabinet	KR-201L	Refrigerator	4	48.9	R-134A	6.2	T1	YES	YES

ENERGY STAR Qualified Hot Food Holding Cabinets as of February 1, 2009

Brand Name / Manufacturer	Model Name	Model Number	Door/Wall Type	Number of Doors	Internal Volume (ft³)	Energy Usage (watts)	Idle Energy Rate (watts/ft³)	CEE Tier	CEE Compliant	ENERGY STAR
McCall Refrigeration	Reach-in Heated Cabinet	1-1020H	Solid/Solid	1	22.4	279.7	12.49	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	1-1020HP	Solid/Solid	1	22.4	279.7	12.49	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	1-1045H	Solid/Solid	2	49	233	4.76	T1	YES	YES

ENERGY STAR Qualified Hot Food Holding Cabinets as of February 1, 2009

Brand Name / Manufacturer	Model Name	Model Number	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	CEE Tier	CEE Compliant	ENERGY STAR
McCall Refrigeration	Reach-in Heated Cabinet	1-1045HP	Solid/Solid	2	49	233	4.76	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	2-2020H	Solid/Solid	1	22.4	279.7	12.49	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	2-2020HP	Solid/Solid	1	22.4	279.7	12.49	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	2-2045H	Solid/Solid	2	49	233	4.76	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	2-2045HP	Solid/Solid	2	49	233	4.76	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	4-4020H	Solid/Solid	1	22.4	279.7	12.49	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	4-4020HP	Solid/Solid	1	22.4	279.7	12.49	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	4-4045H	Solid/Solid	2	49	233	4.76	T1	YES	YES
McCall Refrigeration	Reach-in Heated Cabinet	4-4045HP	Solid/Solid	2	49	233	4.76	T1	YES	YES



ARI - Air-conditioning & Refrigeration Institute	http://www.ari.org/about/
CEC - California Energy Commission	http://www.energy.ca.gov/appliances/2006regulations/index.html
CEE - Consortium for Energy Efficiency	http://www.cee1.org/com/com-kit/com-kit-main.php3
Energy Star	http://www.energystar.gov/index.cfm?c=commercial_food_service.commercial_food_service

